

Jesús Del Carpio

**Jj**

[jjdelc@gmail.com](mailto:jjdelc@gmail.com)

<http://isgeek.net>

1983



[aureal.com.pe](http://aureal.com.pe)



OpenID

Sign In Using OpenID



Sign in

Your OpenID **URL**


??

*Your e-mail*

*Your Blogger Username*

## Sign In Using OpenID

Select your provider:

*Powered by [Open-selector](#).*



## Sign In Using OpenID

Select your provider :


Select provider


Select provider

 MyOpenid

 LiveJournal

 Yahoo

 GMail account

 AOL

 Flickr

 Technorati

 Wordpress

 Blogger

 Other OpenID provider

## Sign In Using OpenID

Select your provider:

LiveJournal



Enter your Livejournal username:



*<http://{username}.livejournal.com/>*

*Powered by [Open-selector](#).*



Sign in

```
<script src="/js/open-selector.js" type="text/javascript"></script>
<script type="text/javascript">
  // ID for the OpenID form
  open_selector.openid_form_id= 'openid_form';
  // ID for the OpenID URL box
  open_selector.openid_box_id= 'openid_url';
  open_selector.init();
</script>
```



```
// List of OpenID providers
var providers = {
  livejournal: {
    name: 'LiveJournal',
    label: 'Enter your Livejournal username',
    ask_username: true,
    icon: 'http://livejournal.com/favicon.ico',
    url: 'http://{username}.livejournal.com/'
  },
  blogger: {
    name: 'Blogger',
    label: 'Your Blogger account',
    ask_username: true,
    icon: 'http://blogger.com/favicon.ico',
    url: 'http://{username}.blogspot.com/'
  },
  openid: {
    name: 'Other OpenID provider',
    label: 'Your OpenID identifier',
    info: 'You know what OpenID is.',
    ask_username: true,
    icon: 'http://openid.net/favicon.ico',
    url: ''
  }
};
```

```

var openid_form = $('#' + this.openid_form_id);
var openid_box = $('#' + this.openid_box_id);
openid_box.hide();
openid_box.after('<p><label for="open-selector">Select your provider</label>:<br/> <select id="open-selector"></select><
p><p id="open-selector-user-block" style="display:none;"><label for="open-selector-username">Username</label>:<br/> <input
type="text" size="20" style="padding-left: 22px;" id="open-selector-username" style="display:none;"/><br/><span style="font-size
90%;font-style:italic;color:#BBB"></span></p> <p id="open-selector-info"></p><p style="color:#DDD;font-size:80%;font-
style:italic;">Powered by <a href="http://open-selector.com" title="Open-selector">Open-selector</a>.</p>');

```

```

var open_selector = $('#open-selector');
var open_user = $('#open-selector-username');
var open_user_block = $('#open-selector-user-block');
var info = $('#open-selector-info');
var label = $('#open-selector-user-block label');
var span = $('#open-selector-user-block span');

```

```

var provider, style, option, selected_provider;
var endpoint = "";

```

```

// Fill the combo box with configured providers
open_selector.prepend("<option>Select provider</option>");
for (provider_id in providers) {
    provider = providers[provider_id];
    style = 'style="padding-left: 22px;background: url(' + provider.icon+ ') no-repeat 3px center"';
    option = '<option id="' + provider_id + '" ' + style + '>' + provider.name + '</option>';
    open_selector.append(option);
}

```

```

// Set what to do on provider selection
open_selector.change(function(){
    endpoint = "";
    $('option', this).each(function(){
        if (this.selected == true) {
            if (this.id) {
                selected_provider = providers[this.id];
                endpoint = selected_provider.url;

                if (selected_provider.info) {
                    info.html(selected_provider.info);
                    info.show();
                } else {
                    info.hide();
                }
            }

            if (selected_provider.ask_username == true) {
                open_user.css('background', "url(" + selected_provider.icon + ") no-repeat 3px center");

                span.html(endpoint);
                if (selected_provider.label) {

```

*Funciona en IE6?*

*No creooooooo ehhhh*

# ID Selector

Sign in with OpenID:

http://username.livejournal.com/ Sign in

Sign in with OpenID using [Get an OpenID](#)

Livejournal	AOL	Flickr
Yahoo!	Technorati	Wordpress
Bloglines	Blogger	myOpenID
Verisign	Vidoop	claimID

Other OpenID [Help](#)

Livejournal username:

## Ma.gnolia

Sign In To Ma.gnolia

Sign in using

OpenID

E.g. http://OpenID.com/username@example.com

Don't have myvidoo

- Select sign in method
- OpenID
- Magnolia
- Yahoo
- Facebook
- Clickpass
- WordPress
- AOL
- LiveJournal
- TypePad

This is my preferred method for future sign-ins.

# Open-Selector

<http://open-selector.com>

<http://code.google.com/p/open-selector/>

[jjdelc@gmail.com](mailto:jjdelc@gmail.com)

<http://isgeek.net>

2008